

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 05/16/2022 (ENSO Condition: La Niña)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of La Nina years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of La Nina ENSO Years ³		Sub-sampling of AMO Warm + La Nina ENSO Years ⁴	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (May-Oct)	N/A	N/A	2.41	Very Wet	2.40	Very Wet	2.42	Very Wet
Multi Seasonal (May-Apr)	N/A	N/A	3.08	Wet	2.67	Wet	1.94	Normal

*Croley's Method Not Produced for This Report

See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

Tributary Hydrologic Conditions Graph:

-524 cfs 14-day running average for Lake Okeechobee Net Inflow through 05/16/2022. According to the classification in Tributary Hydrologic Conditions table, this condition is Dry.

-2.68 for Palmer Drought Index on 05/16/2022. According to the classification in Tributary Hydrologic Conditions table, this condition is Dry.

The wetter of the two conditions above is **Dry**.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 05/16/2022:

Lake Okeechobee Stage: **12.70 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		17.07	
Operational Band	High sub-band	16.35	
	Intermediate sub-band	15.42	
	Low sub-band	13.50	
Base Flow sub-band		12.60	← 12.70 ft
Beneficial Use sub-band		11.45	
Water Shortage Management Band			

Part C of LORS2008: Discharge to WCAs

No releases to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

**Lake Okeechobee Releases to the Caloosahatchee Estuary
for 2008 LORS Baseflow & for Environmental Water Supply**


Guidance for Lake Okeechobee Releases to the Caloosahatchee Estuary indicates no S77 release to the Caloosahatchee Estuary unless the Governing Board recommends otherwise.

LORS2008 Implementation on 05/16/2022 (ENSO Condition- La Nina Watch):**Status for week ending 05/16/2022:****Water Supply Risk Evaluation**

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Beneficial Use	M
	Palmer Drought Index for LOK Tributary Conditions	-2.68 (Extremely Dry)	H
	CPC Precipitation Outlook	1 month: Normal	M
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	2.40 ft	L
	ENSO Forecast	Normal to extremely wet	
	LOK Multi-Seasonal Net Inflow Outlook	2.67 ft	M
	ENSO Forecast	Normal	
WCAs	WCA 1: Site 1-8C	Above Line 1 (15.50 ft)	L
	WCA 2A: Site S-11B	Below Line 2 (10.64 ft)	H
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Line 1 - Line 2 (8.52 ft)	M
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L



Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

Lake Okeechobee SFWMM May 2022 Position Analysis



(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of May 15 2022



2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)


Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



¹The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

²Estuary "needs" water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

³LOWSM = Lake Okeechobee Water Shortage Management.


⁴Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.

⁵Can release less than the "up to" limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

⁶After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

⁷Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item.

Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District
Lake Okeechobee and Vicinity Report
** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 15 MAY 2022

Okeechobee Lake Regulation	Elevation	Last Year	2YRS Ago
	(ft-NGVD)	(ft-NGVD)	(ft-NGVD)
*Okeechobee Lake Elevation	12.70	13.52	11.01 (Official Elv)
Bottom of High Lake Mngmt= 16.35 Top of Water Short Mngmt= 10.73			
Currently in Operational Management Band			
Simulated Average LORS2008 [1965-2000]		12.11	
Difference from Average LORS2008		0.59	
15MAY (1965-2007) Period of Record Average		13.30	
Difference from POR Average		-0.60	

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 6.64'
++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 4.84'
Bridge Clearance = 50.90'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
12.74	12.73	12.66	12.71	12.54	12.80	12.73	12.71

*Combination Okeechobee Avg-Daily Lake Average = 12.70
(*See Note)

Okeechobee Inflows (cfs):

S65E	1301	S65EX1	0	Fisheating Cr	0
S154	0	S191	0	S135 Pumps	0
S84	0	S133 Pumps	0	S2 Pumps	0
S84X	0	S127 Pumps	0	S3 Pumps	0
S71	0	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	0	C5	0
Total Inflows: 1301					

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	0	S77	859
S127 Culverts	0	S351	0	S308	708
S129 Culverts	0	S352	8		
S131 Culverts	0	L8 Canal Pt	-NR-		
Total Outflows: 1575					

****S77 structure flow is being used to compute Total Outflow.
 ****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77 0.29 S308 0.32
 Average Pan Evap x 0.75 Pan Coefficient = 0.23" = 0.02'

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'

Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-

Lake Okeechobee (Change in Storage) Flow is -1966 cfs or -3900 AC-FT

—

—

	Headwater	Tailwater		----- Gate Positions -----						
	Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7
	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)

#8										
(ft)										
			(I) see note at bottom							
North East Shore										
S133 Pumps:	12.70	12.76	0	0	0	0	0	0		(cfs)
S193:										
S191:	18.46	12.77	0	0.0	0.0	0.0				
S135 Pumps:	12.47	12.78	0	0	0	0	0			(cfs)
S135 Culverts:			0	0.0	0.0					
North West Shore										
S65E:	20.96	12.76	1301	0.6	0.9	0.4	0.4	0.5	0.4	
S65EX1:	20.96	12.76	0							
S127 Pumps:	12.31	12.62	0	0	0	0	0	0		(cfs)
S127 Culvert:			0	0.0						
S129 Pumps:	12.38	12.26	0	0	0	0				(cfs)
S129 Culvert:			0	0.0						
S131 Pumps:	12.31	12.76	0	0	0					(cfs)
S131 Culvert:			0							
Fisheating Creek										
nr Palmdale		27.52	0							
nr Lakeport										
C5:		-NR-	0	-NR-	-NR-	-NR-				
South Shore										
S4 Pumps:	12.68	-NR-	0	0	0	0				(cfs)
S169:		-NR-	-NR-	-NR-	-NR-	-NR-				
S310:	12.83		29							

S3 Pumps:	10.48	12.75	0	0	0	0		(cfs)
S354:	12.75	10.48	0	0.0	0.0			
S2 Pumps:	10.66	13.32	0	0	0	0	0	(cfs)
S351:	13.32	10.66	0	0.0	0.0	0.0		
S352:	12.99	10.60	8	0.0	0.0			
C10A:	-NR-	12.62		8.0	8.0	8.0	0.0	0.0
L8 Canal PT		12.55	-NR-					

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.66	13.32	0	-NR--NR--NR--NR--NR--NR-
S352:	10.60	12.99	8	-NR--NR--NR--NR-
S354:	10.48	12.75	0	-NR--NR--NR--NR-

Caloosahatchee River (S77, S78, S79)

S47B:	11.94	11.78		2.0	2.0
S47D:	11.77	11.00	-52	0.0	

S77:

Spillway and Sector Preferred Flow:

12.40	10.91	856	0.0	2.5	3.0	0.0
-------	-------	-----	-----	-----	-----	-----

Flow Due to Lockages+: 3

S78:

Spillway and Sector Flow:

10.95	2.87	913	1.0	0.0	0.0	1.5
-------	------	-----	-----	-----	-----	-----

Flow Due to Lockages+: 19

S79:

Spillway and Sector Flow:

3.07	1.09	1030	0.0	0.0	1.0	1.0	1.5	1.0	1.0
------	------	------	-----	-----	-----	-----	-----	-----	-----

0.0

Flow Due to Lockages+: 8

Percent of flow from S77 83%

Chloride (ppm) 0

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:

12.68	12.60	708	3.5	3.5	3.5	3.5
-------	-------	-----	-----	-----	-----	-----

Flow Due to Lockages+: 0

S153:	18.87	12.57	0	0.0	0.0
-------	-------	-------	---	-----	-----

S80:

Spillway and Sector Flow:

12.74	2.57	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-------	------	---	-----	-----	-----	-----	-----	-----	-----

Flow Due to Lockages+: 24

Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) ****

Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) ****

Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.
 ++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

----- Wind ---					
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Degø)	
(mph)					
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	8.23	8.45	8.45	230	2
S78:	4.61	4.70	4.70	264	3
S79:	1.84	1.86	1.86	122	1
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	5.69	5.76	5.76	145	9
S80:	10.10	10.70	11.01	216	2
Okeechobee Average	6.96	1.09	1.09		
(Sites S78, S79 and S80 not included)					
Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations	15 MAY 2022	12.70	Difference from
15MAY22			
15MAY22 -1 Day =	14 MAY 2022	12.71	0.01
15MAY22 -2 Days =	13 MAY 2022	12.70	0.00
15MAY22 -3 Days =	12 MAY 2022	12.73	0.03
15MAY22 -4 Days =	11 MAY 2022	12.75	0.05
15MAY22 -5 Days =	10 MAY 2022	12.81	0.11
15MAY22 -6 Days =	09 MAY 2022	12.86	0.16
15MAY22 -7 Days =	08 MAY 2022	12.91	0.21
15MAY22 -30 Days =	15 APR 2022	13.40	0.70
15MAY22 -1 Year =	15 MAY 2021	13.52	0.82
15MAY22 -2 Year =	15 MAY 2020	11.01	-1.69

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)
 Average Flow over the previous 14 days | Avg-Daily Flow

15MAY22	Today =	15 MAY 2022	-524	MON		-238
15MAY22	-1 Day =	14 MAY 2022	-56	SUN		4927
15MAY22	-2 Days =	13 MAY 2022	-535	SAT		-1064
15MAY22	-3 Days =	12 MAY 2022	-683	FRI		1291
15MAY22	-4 Days =	11 MAY 2022	-1077	THU		-6853
15MAY22	-5 Days =	10 MAY 2022	-467	WED		-5210
15MAY22	-6 Days =	09 MAY 2022	-148	TUE		-5026
15MAY22	-7 Days =	08 MAY 2022	123	MON		-4236
15MAY22	-8 Days =	07 MAY 2022	150	SUN		2854
15MAY22	-9 Days =	06 MAY 2022	-12	SAT		-2228
15MAY22	-10 Days =	05 MAY 2022	-239	FRI		2525
15MAY22	-11 Days =	04 MAY 2022	-847	THU		3787
15MAY22	-12 Days =	03 MAY 2022	-1478	WED		1889
15MAY22	-13 Days =	02 MAY 2022	-2130	TUE		251

—

—

S65E						
				Average Flow over previous 14 days		Avg-Daily Flow
15MAY22	Today=	15 MAY 2022	1657	MON		1487
15MAY22	-1 Day =	14 MAY 2022	1687	SUN		1438
15MAY22	-2 Days =	13 MAY 2022	1722	SAT		1490
15MAY22	-3 Days =	12 MAY 2022	1741	FRI		1551
15MAY22	-4 Days =	11 MAY 2022	1764	THU		1608
15MAY22	-5 Days =	10 MAY 2022	1780	WED		1637
15MAY22	-6 Days =	09 MAY 2022	1795	TUE		1637
15MAY22	-7 Days =	08 MAY 2022	1798	MON		1705
15MAY22	-8 Days =	07 MAY 2022	1798	SUN		1752
15MAY22	-9 Days =	06 MAY 2022	1784	SAT		-NR-
15MAY22	-10 Days =	05 MAY 2022	1768	FRI		1778
15MAY22	-11 Days =	04 MAY 2022	1746	THU		1803
15MAY22	-12 Days =	03 MAY 2022	1713	WED		1824
15MAY22	-13 Days =	02 MAY 2022	1678	TUE		1826

—

—

S65EX1						
				Average Flow over previous 14 days		Avg-Daily Flow
15MAY22	Today=	15 MAY 2022	0	MON		0
15MAY22	-1 Day =	14 MAY 2022	0	SUN		0
15MAY22	-2 Days =	13 MAY 2022	0	SAT		0
15MAY22	-3 Days =	12 MAY 2022	0	FRI		0
15MAY22	-4 Days =	11 MAY 2022	0	THU		0
15MAY22	-5 Days =	10 MAY 2022	0	WED		0
15MAY22	-6 Days =	09 MAY 2022	0	TUE		0
15MAY22	-7 Days =	08 MAY 2022	0	MON		0
15MAY22	-8 Days =	07 MAY 2022	0	SUN		0
15MAY22	-9 Days =	06 MAY 2022	0	SAT		0
15MAY22	-10 Days =	05 MAY 2022	0	FRI		0
15MAY22	-11 Days =	04 MAY 2022	0	THU		0
15MAY22	-12 Days =	03 MAY 2022	0	WED		0
15MAY22	-13 Days =	02 MAY 2022	0	TUE		0

—
Lake Okeechobee Outlets Last 14 Days

			S-77	Below S-77	S-78	S-79
			Discharge	Discharge	Discharge	Discharge
			(ALL DAY)	(ALL-DAY)	(ALL DAY)	(ALL DAY)
DATE			(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
15 MAY 2022			1704	1901	1839	2065
14 MAY 2022			2116	2050	1937	2260
13 MAY 2022			2435	2383	1901	1798
12 MAY 2022			2255	2245	-NR-	1518
11 MAY 2022			1969	1958	1302	1723
10 MAY 2022			1728	1895	1392	1931
09 MAY 2022			3578	3362	1957	2381
08 MAY 2022			2785	2595	1676	2642
07 MAY 2022			2225	2122	1567	2548
06 MAY 2022			2091	2105	1507	1551
05 MAY 2022			1223	1376	737	1537
04 MAY 2022			1127	1270	806	1644
03 MAY 2022			852	1246	1070	1711
02 MAY 2022			1877	1762	1339	2140

			S-310	S-351	S-352	S-354	L8 Canal Pt
			Discharge	Discharge	Discharge	Discharge	Discharge
			(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE			(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
15 MAY 2022			57	0	15	0	-NR-
14 MAY 2022			11	517	1070	296	-NR-
13 MAY 2022			264	3017	1580	1192	-NR-
12 MAY 2022			226	3183	1520	1598	-NR-
11 MAY 2022			468	3001	1678	1503	-NR-
10 MAY 2022			630	2754	1545	1038	-NR-
09 MAY 2022			318	2221	1173	741	-NR-
08 MAY 2022			157	1891	917	516	-NR-
07 MAY 2022			318	1120	583	243	-NR-
06 MAY 2022			386	2100	1127	611	-NR-
05 MAY 2022			331	1039	630	640	-NR-
04 MAY 2022			40	621	255	0	-NR-
03 MAY 2022			228	895	413	0	-NR-
02 MAY 2022			66	431	528	0	-NR-

			S-308	Below S-308	S-80
			Discharge	Discharge	Discharge
			(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE			(AC-FT)	(AC-FT)	(AC-FT)
15 MAY 2022			1377	-NR-	48
14 MAY 2022			1540	-NR-	57
13 MAY 2022			1160	-NR-	28
12 MAY 2022			1345	-NR-	39
11 MAY 2022			1469	-NR-	31
10 MAY 2022			1274	-NR-	32
09 MAY 2022			1187	-NR-	30
08 MAY 2022			1046	-NR-	36
07 MAY 2022			1211	-NR-	33
06 MAY 2022			1226	-NR-	47
05 MAY 2022			1493	-NR-	54
04 MAY 2022			1540	-NR-	36
03 MAY 2022			1559	-NR-	46
02 MAY 2022			1454	-NR-	35

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate
and
Lockages Discharges from 0015 hrs to 2400 hrs.

—

(I) - Flows preceded by "I" signify an instantaneous
flow computed from the single value reported for the day


—

* On 11 May 1999, Lake Okeechobee Elevation was switched from
Instantaneous 2400 value to an average-daily lake average.
On 14 Mar 2001, due to the isolation of various gages within the
standard
10 stations, the average of the interior 4 station gages was used
as the Lake Okeechobee Elevation.
On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage
mix of interior and edge gages to obtain a more reliable representation
of the lake level.
On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage
mix of interior and edge gages to obtain a more reliable representation
of the lake level due to isolation of S135 from low lake levels.
Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge
stations
++ For more information see the Jacksonville District Navigation website
at <http://www.saj.usace.army.mil/>
\$ For information regarding Lake Okeechobee Service Area water
restrictions
please refer to www.sfwmd.gov

—
Report Generated 16MAY2022 @ 09:52 ** Preliminary Data - Subject to Revision
**

Lake Okeechobee

16MAY22 10:00:24



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[**Back to Lake Okeechobee Operations Main Page**](#)

[**Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage**](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

*** Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**